

Honing machine

Ref. #:WV1254M



Product sheet



Industriepark, 11 | B-8730 Beernem | Belgium | T + 32 (0)50 78 17 94 | F +32 (0)50 78 19 64 | www.wivamac.com | info@willyvanhoutte.be

The WIVAMAC[®] honing machine has 2 x Ø 120mm flat felt disks. The dark one is soft and is to be used for honing gouges. The white one is harder en suitable for straight chisels. It also has two smaller Ø 100mm profiled disks. One with a convex shape for honing the inside of gouges and the other with a sharp edge for “V”-tools.

It has a mono phase 220V/550W motor that turns at 1,500 rpm.

Simple to use by applying some polishing compound on the rotating. Pushing the tools firm on the disk will heat it up and melt the compound, which starts the polishing process on the tool.

The direction of rotation of the disks is away from the user.

<http://www.wivamac.com/honing-machine>



Other associated parts for honing, hole d=12mm:

- WV125H, Ø125x20mm, hard, flat:
- WV125H30, Ø125x20mm, d 30 mm
- WV125Z, Ø125x20mm, soft, flat:
- WV100R, Ø100x12mm, convex:
- WV100S, Ø100x12mm, sharp:
- WV100D, Ø100x6mm, convex:
- UNIPOL, polishing compound

